ELSEVIER

Journal of Non-Crystalline Solids 250–252 (1999) vii–xv

JOURNAL OF NON-CRYSTALLINE SOLIDS

www.elsevier.com/locate/jnoncrysol

Contents

Contents Parts I and II vii

Part I

Section 1. Liquid metals – electronic properties and structure

Local coordination, electronic correlations and relation between thermodynamic and transport properties of sp liquid metals
N.H. March 1

Electron–ion structure factors and the general accuracy of linear response
A.A. Louis and N.W. Ashcroft 9

Freezing of simple liquid metals
A.R. Denton, G. Kahl and J. Hafner 15

Gutzwiller approximation for a Hubbard lattice gas
M. Reinaldo-Falagán, J.P. Hernandez, E. Chacón and P. Tarazona 20

Transferable model potential for liquid lithium
El M. Tammar, J.-F. Wax, N. Jakse and J.-L. Bretonnet 24

Influence of the asymptotic behaviour of $G(q)$ on the structure of simple liquid metals
J.-F. Wax and J.-L. Bretonnet 30

Neutron diffraction on mercury: density dependence of the static structure factor
U. Bafile, K. Hochgesand, R. Winter, F. Barocchi, P. Convert, T. Hansen and H.E. Fischer 35

Use of the Voronoi polyhedra method for analyzing short-range-order of liquid cesium and its reproducibility in reverse Monte Carlo modeling
B.R. Gelchinski, A.A. Mirzoev, D.K. Belaschenko and R. Winter 40

Liquid state structure of some noble and transition metals
G.M. Bhuiyan, A. Rahman, M.A. Khaleque, R.I.M.A. Rashid and S.M. Mujibur Rahman 45

X-ray diffraction experiments on Ag and Ge in normal and supercooled liquid phase
Th. Alteholz and W. Hoyer 48

A theoretical and computer simulation study of the static structure and thermodynamic properties of liquid transition metals using the embedded atom model
M.M.G. Alemany, M. Calleja, C. Rey, L.J. Gallego, J. Casas and L.E. González 53

Pair and triplet correlation entropies of the hard sphere fluid
T. Arai, T. Arisawa and I. Yokoyama 59

Structure and properties of levitated liquid metals
I. Egry 63

Section 2. Liquid metals – dynamics

Dynamics of liquid metals studied by inelastic X-ray scattering
E. Burkel 70

Collective motion in liquid rubidium at increasing temperatures
D. Pasqualini, R. Vallauri, F. Demmel, Chr. Morkel and U. Balucani 76
Transport coefficients of liquids from first principles
R. Stadler, D. Alfè, G. Kresse, G.A. de Wijs and M.J. Gillan 82
Temperature and pressure dependence of the atomic dynamics of liquid rubidium
G. Pratesi, J.-B. Suck and P.A. Egelstaff 91
Temperature dependence of collective modes in liquid sodium
W.-C. Pilgrim, S. Hosokawa, H. Saggau, H. Sinn and E. Burkel 96
Atomic dynamics in liquid lithium near melting
J. Casas, L.E. González, D.J. González and M. Silbert 102
Calculations of structure and shear viscosity for less simple liquid metals
F. Zahid, G.M. Bhuiyan, M.A. Khaleque and R.I.M.A. Rashid. 107
Viscosity measurement with an improved torsion pendulum method
X. Hong and K. Lu 111
Two-step relaxation in a viscous metallic liquid
A. Meyer, J. Wuttke and W. Petry. 116
Isochoric specific heat and anharmonicity for liquid potassium
M.V. Zaezjev, A.G. Novikov and V.V. Savostin 120
Oxygen microscopic dynamics in liquid potassium studied by inelastic neutron scattering
A.G. Novikov, V.V. Savostin, A.L. Shimkevich and M.V. Zaezjev 124
Dynamic structure of oxygen in liquid potassium studied by MD method and statistical geometry
I.Yu. Shimkevich, V.V. Kuzin and A.L. Shimkevich 129

Section 3. Metals, metals under extreme conditions

Phase properties of dilute mixtures of helium in near critical mercury
F. Hensel. 135
Sound attenuation in supercritical fluid mercury
H. Kohno, K. Okada, Y. Kajihara, Y. Hiejima and M. Yao 139
Density dependence of the velocity of sound in expanded liquid mercury by a large-scale molecular-dynamics simulation
S. Munejiri, F. Shimojo and K. Hoshino 144
Structural studies of expanded fluid mercury using synchrotron radiation
K. Tamura, M. Inui, I. Nakaso, Y. Oh'ishi, K. Funakoshi and W. Utsumi 148
Molecular aggregation in expanded liquid rubidium
W.-C. Pilgrim, S. Hosokawa, H. Saggau, M. Ross and L.H. Yang 154
X-ray diffraction measurements on expanded fluid Rb
S. Hosokawa, W.-C. Pilgrim, F. Hensel, J.-L. Hazemann, D. Raoux, M. Mezouar, T. Le Bihan and D. Häusermann 159
Orbital free ab initio molecular dynamics study of expanded liquid Cs
S. Gómez, L.E. González, D.J. González, M.J. Stott, S. Dalgiç and M. Silbert 163
Metallization transition in fluid iodine
U. Buontempo and P. Postorino 168
Short-range structure of liquid palladium and rhodium at very high temperatures
A. Filipponi, A. Di Cicco, G. Aquilanti, M. Minicucci, S. De Panfilis and J. Rybicki. 172
Thermal conductivity of pulse-heated liquid metals at melting and in the liquid phase
G. Pottlacher 177

Section 4. Liquid metals – clusters and surfaces

X-ray studies of liquid metal surfaces
H. Tostmann, E. DiMasi, B.M. Ocko, M. Deutsch and P.S. Pershan 182
Stability, evaporation, and temperature of metal clusters
P. Brockhaus, K. Wong, V. Kasperovich, G. Tikhonov and V.V. Kresin. 191

Wetting transitions in fluid metallic mixtures
W. Freyland 199
Investigation of the wetting layer in a metallic fluid K_xKCl_{1-x} solution by spectroscopic ellipsometry
S. Staroske, D. Nattland and W. Freyland 205
Wetting phenomena at mercury–sapphire interface under high temperature and pressure
Y. Ohmasa, Y. Kajihara, H. Kohno, Y. Hiejima and M. Yao 209
Density fluctuations and correlation lengths in the prewetting supercritical phase
K. Omata and F. Yonezawa 214

Section 5. Liquid alloys

Theory of mixing under induced conditions of temperature and pressure
R.N. Singh 218
Ab initio studies of polyanionic clustering in liquid alloys
J. Hafner, K. Seifert-Lorenz and O. Genser 225
Structural and electronic properties of liquid alkali–tin alloys
O. Genser and J. Hafner 236
Swimming clusters in thallium-rich liquid caesium–thallium alloys
S.A. van der Aart, W. van der Lugt, Y.S. Badyal and P. Verkerk 241
Effect of temperature on the structure and electronic properties of the liquid alloy K–Sb
K. Hochgesand, R. Kurzhöfer, Chr. Biermann and R. Winter 245
A neutron diffraction study on liquid Rb–Sb alloys
U. Beck and W. Freyland 250
Structure of liquid potassium–antimony alloys: neutron scattering experiments and ab initio molecular dynamics calculations
C. Bergman, M.V. Coulet, R. Bellissent, K. Seifert-Lorenz and J. Hafner 253
Structure and electronic states of liquid Na–Pb alloys by an ab initio molecular-dynamics simulation
Y. Senda, F. Shimojo and K. Hoshino 258
Collective atomic dynamics in molten $Rb_{(100-x)}Sb_x$ investigated by inelastic neutron scattering
S. Jahn, G. Pratesi and J.-B. Suck 263
Atomic structure and electronic transport properties of amorphous Na_xSn_{1-x} alloys
O. Madel, C. Lauinger and P. Häussler 267
Undercoolability of pure Co and Co-based alloys
D.M. Herlach, D. Holland-Moritz, Th. Schenk, K. Schneider, G. Wilde, O. Boni, J. Fransaer and F. Spaepen 271
On the structure of liquid IV–VI semiconductors
J.-Y. Raty, J.-P. Gaspard, M. Bionducci, R. Céolin and R. Bellissent 277
Structural study of liquid M–Te mixtures (M = Ga, In, Tl)
Y. Kawakita, S. Yoshioka and S. Takeda 281
X-ray diffraction on levitated liquids: application to liquid 80%Co–20%Pd alloy
S. Krishnan, S. Ansell and D.L. Price 286
Neutron small-angle scattering on molten Ga–Tl alloys
Th. Halm, J.N. Nzali, W. Hoyer and R.P. May 293
Local order and metal–non-metal transition in Cd_xTe_{1-x}: a neutron diffraction study
G. Prigent, R. Bellissent, R. Ceolin, H.E. Fischer and J.P. Gaspard 297
Electronic transport properties of liquid cadmium–germanium alloys. Theory versus experiment
A. Makradi, J.G. Gasser and M. Bestandji 301
Structure of Al–Ge liquid alloy
B. Grosdidier and J.G. Gasser 309
Lead free solder materials In–Sn–Zn system
L.C. Prasad, Y. Xie and A. Mikula 316
Ordering and structural properties of liquid Al–Ge alloys
I. Ali, S.M. Osman and R.N. Singh 321

The miscibility gap region in liquid ternary alloys
Yu. Plevachuk, V. Didoukh and B. Sokolovskii 325
Temperature dependence of the mixing enthalpy of liquid Ti–Ni and Fe–Ti–Ni alloys
U. Thiedemann, M. Rösner-Kuhn, K. Drewes, G. Kuppermann and M.G. Frohberg. 329
Ionic and electronic conductions in liquid metal–chalcogen systems
K. Itoh, T. Usuki and S. Tamaki. 336
Electrical properties of liquid Ag–S and In–S alloys
S. Ohno and T. Okada 340
Electrical properties of liquid Ni–Se and Cu–Se alloys
T. Okada and S. Ohno 344
On the dynamical properties of the liquid Li–Na alloy
N. Anento, J. Casas, M. Canales, D.J. González, L.E. González and J.A. Padró 348
Correction for finite-size effects in molecular dynamics simulation of liquid alloys
A. Baumketner and Ya. Chushak 354
Equation of state of liquid mixtures with non-additive potentials
I. Ali, S.M. Osman and R.N. Singh 360
Compressibility factor for double Yukawa fluid
I. Ali, S.M. Osman and R.N. Singh 364
Diffusion of Ni in molten NiGe: a quasielastic neutron scattering investigation using the isotopic substitution method
H. Neumann and J.-B. Suck 368
Critical sound propagation in liquid Ag–Ag_2Te alloys
F. Kakinuma, Y. Tsuchiya and K. Suzuki 373
Thermal conductivity of liquid metals and metallic alloys
B. Giordanengo, N. Benazzi, J. Vinckel, J.G. Gasser and L. Roubi 377
Short range structure of amorphous $Se_{100-x}As_x$ prepared by mechanical alloying
T. Fukunaga and S. Kajikawa. 384
Concept of resonances in disordered metallic matter
H. Nowak and P. Häussler 389

Author index Parts I and II xix
Subject index Parts I and II xxx

Part II

Section 6. Liquid semiconductors

Combined X-ray and neutron diffraction from binary liquids and amorphous semiconductors
A.C. Barnes, M.A. Hamilton, P. Buchanan and M.-L. Saboungi 393
Structure of molten GeSe by neutron diffraction: the Ge coordination environment
I. Petri, P.S. Salmon and H.E. Fischer 405
Local structure of molten $Ag(Cl_{1-x}I_x)$ mixtures
S. Takeda, Y. Kawakita, M. Inui and K. Maruyama. 410
Inverse-photoemission studies of the conduction bands in amorphous Ge
S. Hosokawa, H. Sato, K. Nishihara, Y. Hari and M. Taniguchi 415
Structure of high temperature fluid selenium
C. Bichara, J.-Y. Raty and J.-P. Gaspard. 419
Optical properties of selenium under high pressure
I. Yamamoto, Y. Ohmasa and H. Endo. 423
Theoretical study on stable configurations of liquid selenium
H. Ohtani, T. Yamaguchi and F. Yonezawa. 428

Chain structure of liquid and amorphous selenium: tight-binding molecular-dynamics simulation
F. Shimizu, H. Kaburaki, T. Oda and Y. Hiwatari 433
Structural and electronic properties of liquid tellurium and selenium
T. Yamaguchi, H. Ohtani and F. Yonezawa 437
A large photoinduced change in liquid selenium: transient dc conductivity and transient absorption measurements
Y. Sakaguchi and K. Tamura 441
Short and long bonds in liquid tellurium
Y. Kawakita, M. Yao and H. Endo 447
Specific heat of liquid Tl–Se alloys
F. Kakinuma, S. Ohno and K. Suzuki 453
The semiconductor–metal transition of liquid tellurium–arsenic mixtures
H. Ikemoto, H. Hoshino, T. Miyanaga, I. Yamamoto and H. Endo 458
Local order and phase separation in sulphur–tellurium melts: a neutron scattering study
M.-V. Coulet, C. Bergman, R. Bellissent and C. Bichara 463
The velocity of sound in the liquid S–Se alloy
Y. Tsuchiya, R. Satoh and F. Kakinuma 468
The molar volume of molten As–Sb, As–Bi and As–Te systems: further evidence for rapid structural changes in liquid As in the supercooled state
Y. Tsuchiya 473
The electronic and structural changes in the supercooled liquid and glassy As_2Se_3
H. Hoshino, I. Yamamoto, T. Miyanaga, H. Ikemoto and H. Endo 478
Structural studies on liquid Ge–chalcogen mixtures by using neutron diffraction
K. Maruyama, H. Ebata, S. Suzuki, M. Misawa, S. Takeda and Y. Kawakita 483
Electrical properties of molten AgCl–AgI mixtures
K. Ishida, S. Ohno and T. Okada 488
Diamagnetic susceptibility of molten $Ag(Cl_{1-x}I_x)$
H. Araki, Y. Arai, S. Tamaki and S. Takeda 492
Ultrasonic velocity and absorption for molten silver halide mixtures
S. Takeda, I. Hiraishi and Y. Kawakita 496
Structure and transport properties of molten NaCl and AgI by computer simulation
T. Koishi and S. Tamaki 501

Section 7. Expanded liquid semiconductors

Electronic structure and transitions of liquid selenium at high temperatures and pressures
W.W. Warren Jr. 506
Electronic and structural properties of fluid selenium at high pressures and temperatures – a new mechanism of non-metal-to-metal transition
F. Yonezawa, H. Ohtani and T. Yamaguchi 510
X-ray diffraction measurements for expanded fluid-Se using synchrotron radiation
M. Inui, K. Tamura, Y. Oh'ishi, I. Nakaso, K. Funakoshi and W. Utsumi 519
X-ray absorption fine structure studies on expanded fluid Se: from liquid to dense vapor
M. Inui, K. Tamura, J.L. Hazemann, D. Raoux, Y. Soldo, R. Argoud and J.F. Jal 525
Small angle X-ray scattering measurements for expanded fluid Se near the critical point
M. Inui, Y. Oh'ishi, I. Nakaso, M.H. Kazi and K. Tamura 531
EXAFS study on liquid selenium and liquid tellurium under high pressure
Y. Katayama, O. Shimomura and K. Tsuji 537
Structural and electronic properties of supercritical fluid selenium: an ab initio molecular-dynamics simulation
F. Shimojo, K. Hoshino, Y. Zempo and M. Watabe 542
Ab initio molecular-dynamics study of liquid alkali–tellurium mixtures
F. Shimojo, K. Hoshino and Y. Zempo 547

Section 8. Metallic glasses and nanocrystalline alloys – thermodynamics and glass formation

Stabilization of supercooled liquid and bulk glassy alloys in ferrous and non-ferrous systems
A. Inoue and T. Zhang 552
Formation of bulk (Zr, Ti)-based metallic glasses
V.V. Molokanov, M.I. Petrzhik, T.N. Mikhailova, T.A. Sviridova and N.P. Djakonova 560
Thermodynamics and kinetics of the $Zr_{41.2}Ti_{13.8}Cu_{10.0}Ni_{12.5}Be_{22.5}$ bulk metallic glass forming liquid: glass formation from a strong liquid
A. Masuhr, R. Busch and W.L. Johnson 566
Calorimetric study of liquid and undercooled liquid Al–Ni–Zr alloys
S.H. Zhou and F. Sommer 572
Thermodynamic properties of Pd-based glass-forming alloys
I.-R. Lu, G. Wilde, G.P. Görler and R. Willnecker 577
Enthalpies of formation of liquid and amorphous Cu–Zr alloys
A.A. Turchanin, I.A. Tomilin, M.A. Turchanin, I.V. Belokonenko and P.G. Agraval 582
Entropy of glass, spatial energy fluctuations and the Kauzmann paradox
S. Baer 586
Topological approach to melting of crystals: bcc lattices
P.V. Vladimirov and V.A. Borodin 591
Undercooling of bulk metallic glasses processed by electrostatic levitation
C.C. Hays and W.L. Johnson 596
Glass formation in La-based $La_{55}Al_{25}(NiCu)_{20}$ alloys by Bridgman solidification
Z.P. Lu, Y. Li, S.C. Ng and Y.P. Feng 601
Local order in amorphous Fe_2Zr prepared by mechanical alloying and mechanical grinding
M. Bionducci, G. Navarra, R. Bellissent, G. Concas and F. Congiu 605
Thermally activated amorphous phase formation in cold-rolled multilayers of Al–Ni, Al–Ta, Al–Fe and Zr–Cu
H. Sieber, G. Wilde and J.H. Perepezko 611
Amorphous phase formation during cold rolling of Al–Sm and Zr–Cu–Ni–Al multilayer structures
H. Sieber, G. Wilde, A. Sagel and J.H. Perepezko 616
Glass formation in Al-rich Al–Sm alloys during solid state processing at ambient temperature
G. Wilde, H. Sieber and J.H. Perepezko 621
Particle–dendrite interaction during undercooled liquid solidification of metal–matrix composites
G. Wilde, M. Byrnes and J.H. Perepezko 626

Section 9. Metallic glasses and nanocrystalline alloys – structure, atomic transport and structural relaxation

Energy dispersive X-ray diffraction on undercooled metallic melts
C. Notthoff, H. Franz, M. Hanfland, D.M. Herlach, D. Holland-Moritz, G. Jacobs, R. Lippok, W. Petry and D. Platzek 632
Local structure in amorphous Fe–TM–Zr (TM = Co, Ni, Cu) studied by Mössbauer spectroscopy
M. Dikeakos, Z. Altounian, D.H. Ryan and S.J. Kwon 637
Concentration dependence of partial vibrational spectra in Ni–Nb and Cu–Zr metallic glasses
G.F. Syrykh, S.N. Ishmaev, M.G. Zemlyanov and I.L. Sashin 642
Single-particle motion in liquid and supercooled $Mg_{70}Zn_{30}$ alloy
Ya. Chushak, G. Kahl and J. Hafner 645
Molecular dynamics simulations of glasses
C. Oligschleger and H.R. Schober 651
Viscosity and surface tension measurements on Fe-rich FeB liquid alloys
M. Tomut, H. Chiriac, M. Marinescu and F. Necula 655
Relaxations in glasses
C. Oligschleger, C. Gaukel and H.R. Schober 660
Diffusion mechanisms in under-cooled binary liquids of $Zr_{67}Cu_{33}$
C. Gaukel, M. Kluge and H.R. Schober 664

Self-diffusion in the amorphous and supercooled liquid state of the bulk metallic glass $Zr_{46.75}Ti_{8.25}Cu_{7.5}Ni_{10}Be_{27.5}$
K. Knorr, M.-P. Macht, K. Freitag and H. Mehrer 669
Diffusion in ZrTiCuNiBe bulk glasses at temperatures around the glass transition
P. Fielitz, M.-P. Macht, V. Naundorf and G. Frohberg 674
The pre-factor D_0 of the diffusion coefficient in amorphous alloys and grain boundaries
V. Naundorf, M.-P. Macht, A.S. Bakai and N. Lazarev 679
Isotope effect of diffusion in the supercooled liquid state of bulk metallic glasses
H. Ehmler, K. Rätzke and F. Faupel 684

Section 10. Metallic glasses and nanocrystalline alloys – stability: crystallization, oxidation and corrosion

Glass transition of rare-earth based metallic glasses: temperature modulated differential scanning calorimetry
Z.P. Lu, Y. Li, S.C. Ng, Y.P. Feng and K. Lu 689
Statistical analysis of nucleation in undercooled Co-base alloys
Th. Schenk, D. Holland-Moritz, W. Bender and D.M. Herlach 694
Nucleation in undercooled $Zr_{41}Ti_{14}Cu_{12}Ni_{10}Be_{23}$ melts
J. Schroers, R. Busch, A. Masuhr and W.L. Johnson 699
The crystallization process of amorphous $Al_{80}Fe_{20}$ alloy powders prepared by ball milling
F. Zhou, R. Lück, M. Scheffer, D. Lang and K. Lu 704
On the crystallization of amorphous $Fe_{85}B_{15}$ ribbons produced with different heat treatments of the liquid alloy before ejection
H. Chiriac, F. Vinai, M. Tomut, A. Stantero and E. Ferarra 709
Effect of glass short-range order on crystallization onset in Al–Y–Ni glasses
S. Saini, A. Zaluska and Z. Altounian 714
Oxidation of Zr-based metallic glasses in air
Triwikantoro, D. Toma, M. Meuris and U. Köster 719
High-strength bulk nanocrystalline alloys in a Zr-based system containing compound and glassy phases
A. Inoue, C. Fan and A. Takeuchi 724

Section 11. Metallic glasses and nanocrystalline alloys – magnetism and electrical properties

Phase transitions in the spin-1/2 Ising superlattice with a transverse field
T. Bouziane, M. Saber, A. Belaaraj and A. Ainane 729
The critical behavior of an amorphous ferromagnet spin−1/2 Ising film with amorphous surfaces
M. Saber, A. Ainane, F. Dujardin and B. Stébé 735
Piezomagnetic properties of the $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy
Z. Kaczkowski, P. Duhaj, G. Vlasák and P. Ruuskanen 740
Elasticity moduli and structure of the $Fe_{73.5}Cu_1Ta_3Si_{15.5}B_7$ alloy
Z. Kaczkowski, L. Lanotte, M. Müller and P. Ruuskanen 746
Structure and magnetic properties of some bulk amorphous materials
H. Chiriac and N. Lupu 751
Structural and magnetic study of crystalline $Fe_{80}Ni_{20}$ alloys with nanometer-sized grains
M. Pękała, D. Oleszak, E. Jartych and J.K. Zurawicz 757
Effect of Mo and Nb additions on the magnetic properties of CoFeSiB amorphous wires
H. Chiriac, F. Barariu, M. Neagu, F. Vinai, E. Ferrara and C.S. Marinescu 762
On the amorphization and magnetic properties of Co–Fe–Si–B powders
H. Chiriac, A.-E. Moga, M. Urse, F. Necula and C. Hison 766
On hopping conductivity in granular metals
A.A. Likalter 771
Seebeck effect in disordered low dimensional interface structures
J. Barzola-Quiquia, C. Lauinger and P. Häussler 776

Change in electron transport property after glass transition in several Pd-based metallic glasses
O. Haruyama, H. Kimura, N. Nishiyama and A. Inoue 781
Temperature dependence of the resistivity of amorphous Fe–Co–Zr alloys
M. Dikeakos and Z. Altounian 786
Thermoelectricity of disordered films near the metal–non-metal transition
C. Lauinger, T. Hunger, J. Barzola-Quiquia, P. Häussler and H.-G. Boyen 791
Transport properties of hydrogen-doped $(Zr_{80}Fe_{20})_{1-x}H_x$ metallic glasses
I. Kokanović, B. Leontić, J. Lukatela and I. Kušević 795
Low temperature thermoelectric power of amorphous Al–Y–TM alloys
K. Pękała 800
Atomic structure, electronic structure and electron transport properties of Ca–Mg–Ga amorphous alloys
N. Takeichi, T. Fukunaga and U. Mizutani 805
Low-energy excitations and thermal conductivity of Cu_xSn_{100-x} films at low temperatures
R. Schmidt, Th. Franke and P. Häussler 811

Section 12. Quasicrystals

Coloured quasiperiodic patterns with tenfold symmetry and eleven colours
M. Scheffer and R. Lück 815
EXAFS investigations on quasi-crystal-forming melts
I. Egry, G. Jacobs and D. Holland-Moritz 820
Local icosahedral order and magnetism in AlMn and AlCr liquids in equilibrium with μ-phase solids
V. Simonet, F. Hippert, M. Audier and R. Bellissent 824
Melting entropy of Al-based quasicrystals
D. Holland-Moritz, I.-R. Lu, G. Wilde, J. Schroers and B. Grushko 829
Growing perfect quasicrystals
A.P. Tsai, T.J. Sato, J.Q. Guo and T. Hirano 833
On the energy of the interface between a melt and quasicrystalline and polytetrahedral phases
D. Holland-Moritz 839
Quasicrystals under pressure: a comparison between Ti–Zr–Ni and Al–Cu–Fe icosahedral phases
U. Ponkratz, R. Nicula, A. Jianu and E. Burkel 844
In situ X-ray powder diffraction study on stability of icosahedral Al–Pd–Mn high quality single quasi-crystal under high pressure up to 70 GPa
M. Hasegawa, A.P. Tsai, T. Kondo, T. Yagi and T. Kikegawa 849
Temperature dependence of quasielastic neutron scattering from icosahedral $Al_{71}Pd_{19}Mn_{10}$
H. Uhlig, M. Rouijaa and J.-B. Suck 855
Temperature dependence of the generalized vibrational density of states of decagonal $Al_{71.5}Co_{13.5}Ni_{15}$ and its approximant $Al_{71.5}Co_{15.5}Ni_{13}$
F. Dugain, M. Mihalkovic and J.-B. Suck 860
Correlation-enhanced Friedel oscillations in amorphous alloys and quasi-crystals
J. Kroha 865
A detailed comparison between the amorphous and the quasicrystalline state of Al–Cu–Fe
C. Roth, G. Schwalbe, R. Knöfler, F. Zavaliche, O. Madel, R. Haberkern and P. Häussler 869
Pseudogap in quasicrystals probed by tunneling spectroscopy
T. Schaub, J. Delahaye, C. Gignoux, C. Berger, G. Fourcaudot, F. Giroud, T. Grenet and A.G.M. Jansen 874
Transition to a quasi-insulating state in quasi-crystalline AlPdRe
J. Delahaye, C. Gignoux, T. Schaub, C. Berger, T. Grenet, A. Sulpice, J.J. Préjean and J.C. Lasjaunias . . 878
Low temperature transport properties in high resistivity (i)-AlPdRe
M. Rodmar, D. Oberschmidt, M. Ahlgren, C. Gignoux, J. Delahaye, C. Berger, S.J. Poon and Ö Rapp . . 883
Magnetoresistance in the region of the possible metal–insulator transition in icosahedral AlPdRe
M. Rodmar, D. Oberschmidt, M. Ahlgren, C. Gignoux, C. Berger and Ö Rapp 888
Hydrogenation of Zr-based metallic glasses and quasicrystals
D. Zander, H. Leptien, U. Köster, N. Eliaz and D. Eliezer 893

Corrosion of Al–Cu–Fe quasicrystals and related crystalline phases
A. Rüdiger and U. Köster 898
Author index parts I and II 903
Subject index parts I and II 914